

PRODUCT-DETAILS

YO E1.2..E6.2-XT7-XT7M 240-250 VAC/DC

YO E1.2..E6.2-XT7-XT7M 240-250 VAC/DC



General Information

Extended Product Type	YO E1.2..E6.2-XT7-XT7M 240-250 VAC/DC
Product ID	1SDA073675R1
EAN	8015644776084
Catalog Description	YO E1.2..E6.2-XT7-XT7M 240-250 VAC/DC
Long Description	SHUNT OPENING RELEASE 240-250V AC-DC E1.2..E6.2-XT7-XT7M

Ordering

Order Code US and Canada	ZEASH
EAN	8015644776084
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	105 mm
Product Net Height	55 mm
Product Net Depth / Length	135 mm
Product Net Weight	0.12 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	105 mm
Package Level 1 Height	55 mm
Package Level 1 Depth / Length	135 mm
Package Level 1 Gross Weight	0.15 kg
Package Level 1 EAN	8015644776084

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Configuration Type	Loose or configurable
Current Type	AC/DC
Order Multiple	1 piece
Product Main Type	Accessories for Emax 2, Accessories for Tmax XT
Product Name	Accessory
Product Type	Accessory
Rated Voltage (U _r)	240...250 V
Standards	IEC
Suitable For	XT7-XT7M, E1.2, E2.2, E4.2, E6.2
Suitable for Product Class	SACE Tmax XT, SACE Emax 2

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC200023D0209 1SDC210100D0204
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000999R0502 1SDH001000R0502
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

Classifications

ETIM 6	EC002483 - Switch spool for power circuit breaker
ETIM 7	EC002483 - Switch spool for power circuit breaker
ETIM 8	EC002483 - Switch spool for power circuit breaker
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370421

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax 2

