

PRODUCT-DETAILS

ACS880-01-04A6-2

ACS880-01-04A6-2 P_{cont.max}:0,75kW, I_{cont.max}:4,4A



Informações gerais

Global Commercial Alias	ACS880-01-04A6-2
Product ID	3AUA0000123720
ABB Type Designation	ACS880-01-04A6-2
Catalog Description	ACS880-01-04A6-2 P _{cont.max} :0,75kW, I _{cont.max} :4,4A

Ordering

Country of Origin	Finland (FI)
Customs Tariff Number	85044084
Invoice Description	ACS880-01-04A6-2 P _{cont.max} :0,75kW, I _{cont.max} :4,4A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

Dimensions

Product Net Height	409 mm
Product Net Length	226 mm

Product Net Width	155 mm
-------------------	--------

Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage (U_{in})	208 ... 240 V
Mounting Type	Wall-mounting
Number of Phases	3
Output Current, Heavy-Duty Use	3.7 A
Output Current, Light-Overload Use	4.4 A
Output Current, Normal Use	4.6 A
Output Power, Heavy-Duty Use	0.55 kW
Output Power, Light-Overload Use	0.75 kW
Output Power, Normal Use	0.75 kW

Additional Information

Product Main Type	ACS880-01-04A6-2
Product Name	Frequency Converter

Classifications

Product Series	ACS880
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
ETIM 7	EC001857 - Frequency converter =< 1 kV
UNSPSC	39122001

Categorias

Drives, inversores e conversores → Drives AC - Baixa Tensão → Industrial Drives - ACS 800 → ACS880 single drives → ACS880-01 - Wall-mounted single drive

