

PRODUCT-DETAILS

ACS880-04-503A-5

ACS880-04-503A-5 PN:355kW, IN:503A



Informações gerais

Global Commercial Alias	ACS880-04-503A-5
Product ID	3AUA0000139076
ABB Type Designation	ACS880-04-503A-5
Catalog Description	ACS880-04-503A-5 PN:355kW, IN:503A

Ordering

Country of Origin	Finland (FI)
Customs Tariff Number	85044088
Invoice Description	ACS880-04-503A-5 PN:355kW, IN:503A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

Dimensions

Product Net Height	1541 mm
Product Net Length	505 mm

Product Net Weight	161 kg
Product Net Width	350 mm

Technical

Enclosure Class	IP20
Frequency (f)	50/60 Hz
Input Voltage (U _{in})	380 ... 500 V
Mounting Type	Module for cabinet assembly
Number of Phases	3
Output Current, Heavy-Duty Use	361 A
Output Current, Light-Overload Use	483 A
Output Current, Normal Use	503 A
Output Power, Heavy-Duty Use	250 kW
Output Power, Light-Overload Use	315 kW
Output Power, Normal Use	355 kW

Additional Information

Product Main Type	ACS880-04-503A-5
Product Name	Frequency Converter

Classifications

Product Series	ACS880-04
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
ETIM 7	EC001857 - Frequency converter =< 1 kV
UNSPSC	39122001

Categorias

Drives, inversores e conversores → Drives AC - Baixa Tensão → Industrial Drives - ACS 800 → ACS880 drive modules → ACS880-04 - Single drive module

